

MINI ROUND

Deck Valves & Aqua Filler




Pack consists of:

1 x 34890MI Pair Deck Bath Valves

*1 x 033 Low Pressure Aqua Filler
with clic-clac waste*


Mini Round

Par manípulos 3/4" Pair of 3/4" deck valves




dimensões / dimensions mm

nota/note: xxx representa diferentes acabamentos
xxx represent different finishes



www.cifial.pt | cifial@cifial.pt
cifial@cifial.es
www.cifial.co.uk | sales@cifial.co.uk
www.cifialusa.com
www.cifial.pl | cifial@cifial.pl

apertar/desapertar
tighten/untighten
haste manípulo
handle extension



Instalador: Por favor entregue todas as instruções que acompanham este produto ao seu proprietário.

Installer: Please leave all leaflets with the building owner to file for future reference


5665177
983MI022D00

AQUA FILLER

with clic-clac waste




1	Plug assembly (Removable)
2	Waste ferrule
3	Waste flange
4	Waste Flange seal
5	Rubber waste seal
6	Rubber seal
7	1.5" BSP nut
8	95° trap outlet elbow
9	Tapered rubber seal
10	Plastic seal
11	1.75" BSP compression nut
12	Trap cleaning eye
13	Trap waste body

14	Rubber Seal
15	1.25" BSP compression nut
16	Flexible overflow pipe
17	Flexible inlet hose
18	Overflow body
19	Rubber Overflow Seal
20	Overflow clamp plate / Nozzle body
21	Overflow clamp plate screws
22	Key Bolts (x2)
23	Overflow cover
24	Allen Hex Key for tightening
25	Plastic Key for tightening
26	Long ferrule (for use with thicker baths)





CIFIAL

with clic-clac waste



with clic-clac waste



- Mixer valve (not supplied) must be installed according to manufacturers guidelines and Local authority regulations.
- Protection against pollution of potable water installations and general requirements of devices to prevent pollution by backflow as detailed in EN 1717 should be observed.
- Flexible inlet pipe should be installed in a self-draining position.